This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SIGNING PLAN UNION COUNTY

Nov 03, 2017

DIV: 10

Text Length

LOCATION: REPLACE BRIDGE No. 71 OVER CLEAR CREEK ON US 601

Spacing Factor is 1 unless specified otherwise

NORTH CAROLINA D.O.T. SIGN DETAIL

CHECKED BY: KLJ

LOCATION: US 601

PROJECT REFERENCE NO.	SHEET NO.
B-5371	SIGN-01
APPROVED: Rever B. Ronch B3C6C6F7CF4640D	
DATE: 12/4/2017	
SEAL	
SEAL 024921	CHILIAN CHILIA
DOCUMENT NOT CONS	

UNLESS ALL SIGNATURES COMPLETED

GENERAL NOTES

- . SIGNS FURNISHED BY CONTRACTOR
- . ALL TYPE 'D' SIGNS SHALL BE MOUNTED ON TWO U-CHANNEL POSTS UNLESS OTHERWISE INDICATED ON THE PLANS.
- . IF REMOVAL OR RELOCATION OF SIGNS ON PRIVATE STREET (NON-STATE MAINTAINED) IS REQUIRED DUE TO CONSTRUCTION, THE CONTRACTOR SHALL INFORM THE ENGINEER. THE WORK WILL BE COMPLETED BY OTHERS.
- . WHEN NOT STATIONED OR DIMENSIONED ON PLANS, ALL 'E' AND 'F' SIGNS SHALL BE FIELD LOCATED BY THE ENGINEER
- . ALL EXISTING SIGNS ON "U" CHANNEL POST WITHIN THE PROJECT LIMITS SHALL BE REMOVED AND DISPOSED OF UNLESS OTHERWISE NOTED ON PLANS.
- . THE BACKGROUND FOR TYPE E & F SIGNS SHALL BE TYPE C REFLECTIVE SHEETING.
- . SEE ROADWAY PLANS FOR GUARD/GUIDE RAIL DETAILS.

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO. <u>TITLE</u>

904.10 ORIENTATION OF GROUND MOUNTED SIGNS

904.50 MOUNTING OF TYPE 'D', 'E' AND 'F' SIGNS ON 'U' CHANNEL POSTS

PROJECT NOTES

1 DISPOSAL OF SIGN SYSTEM, U-CHANNEL

		T	
401 QUANTITY REQ'D _1_	402 QUANTITY REQ'D _1_	403 QUANTITY REQ'D _1_	404 QUANTITY REQ'D _1_
36 X 36 W11-10	30 X 30 W2-2	STOP 36 X 36 R1-1	SPEED LIMIT 24 X 30 R2-1
ONE "U" POST PER SIGN			

		SUMMARY OF QUANTITIES		
ITEM NO.		ITEM DESCRIPTION	QUANTITY	UNIT
DESC. NO.	SECT. NO.			
4025000000 4025000000 4072000000 4096000000 4102000000 4155000000	901 901 903 904 904 907	CONTRACTOR FURNISHED, TYPE D SIGN CONTRACTOR FURNISHED, TYPE E SIGN SUPPORTS, 3 LB STEEL U-CHANNEL SIGN ERECTION, TYPE D SIGN ERECTION, TYPE E DISPOSAL OF SIGN SYSTEM, U-CHANNEL	9 29.25 90 2 4 6	S.F. S.F. L.F. EA. EA.

INDEX

SHEET NO. DESCRIPTION

TITLE SHEET SIGN-1

SIGN-2 SIGNING PLAN SHEET

PLAN PREPARED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT K. L. JORDAN SIGNING & DELINEATION REGIONAL ENGINEER

SIGNING & DELINEATION PROJECT DESIGN ENGINEER

J. G. MARTINEZ

SIGN NUMBER: 301,302

QUANTITY: 2

SIGN WIDTH: 4'-6" **HEIGHT:** 1'-0"

TOTAL AREA: 4.5 Sq.Ft.

RECESS: 0"

WIDTH: 0.75"

RADII: 1.5"

MAT'L:

1. Legend and border(except those that are colored black)

0.032" (0.8mm) aluminum with Grade C reflective sheeting and demountable.

4.7 5.3 1.9 4.1 4.6 2.3 6 5.3 2.8 4.1 4.4 3.8 4.7

USE NOTES: 1,2

shall be direct applied Grade C sheeting.

3. Shields; A, B, and C type arrows shall be on

2. Background shall be Grade C reflective sheeting.

sheeting. Arrow shall be on 0.032" aluminum.

black non-reflective sheeting an demountable.

4. Bottom panel shall be yellow Grade C sheeting. Legend shall be direct applied black non-reflective

BORDER TYPE: FLUSH

NO. Z BARS:

LENGTH:

Yellow panel is:

LETTER POSITIONS

FILENAME: B-5371 Sign Designs

TYPE: D

BACKG COLOR: Green

COPY COLOR: White

0.125" (3.2 mm) ALUMINUM

X Y WID HT

DESIGN BY: jgm

PROJECT ID: B-5371

BORDER

TH = 0.75"

Letter spacings are to start of next letter

R = 1.5"



